Application/Control Number: 09/437,607

Art Unit: 1638

EXAMINER'S AMENDMENT

An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

The application has been amended as follows:

In The Specification:

At page of the specification, line 11, ---now abandoned,--- is inserted after "1999,".

All rejections and objections have been withdrawn in view of Applicant's amendment to the claims.

Claims 1-4, 8-10, 12-18,38-40,48, 54-54 are pending and are allowed.

Contact information

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Medina A. Ibrahim whose telephone number is (571) 272-0797. The Examiner can normally be reached Monday -Thursday from 8:00AM to 5:30PM and every other Friday from 9:00AM to 5:00 PM. Before and after final responses should be directed to fax nos. (703) 872-9306 and (703) 872-9307, respectively.

If attempts to reach the Examiner by telephone are unsuccessful, the Examiner's supervisor, Anne Marie Grunberg, can be reached at (571) 272-0975.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

